


# Sliding Panel Systems




# Application Chart

Operation	Dimensions		Applications	Profile	Features / Options				Fitting Options			Fitting Surfaces	System							
	max.	max.			Profile Number	Dimensions in mm	Gliding Channel (mm)	Number of Channels	Various Motor Options	Integrated LON Bus	Radio Control			Timer / IR	Folding Panel	Ceiling Fix	Recess Fix	Wall Fix	Wood	Concrete
	8		Single Stack Pair Stack Centre Stack Asymmetric Stack	6058	Various Profile Options (see below)	5.4	2-5					•	•	•	•	•	•	2500		
	6m			6055 / 6054 / 6055 / 6058										•	•	•	•		•	•
	10m			6003							•	•	•	•	•	•	•		•	•
	3.24m	3m		2601							•	•	•	•	•	•	•	2600		
	5m	3m		2655							•	•	•	•	•	•	•	2640		
	5m	3m		2655				•	•	•	•	•	•	•	•	•	•	2650		


## Profiles for Silent Gliss 2500




6003



6058



6054



6055



[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: 0044 (0) 1843 863571  
Fax: 0044 (0) 1843 864503  
[sales@silentgliss.co.uk](mailto:sales@silentgliss.co.uk)